





REIKÄLEVY

SYSTEM VENDOR FOR TECHNOLOGY INDUSTRY



Sample brochure for

PERFORATED METAL SHEETS & COILS



| | | | |
|-------------------------------------|--------------|-----------|---------------|
| <input type="checkbox"/> | Round holes | 2 - 4 mm | Pages 1 - 28 |
| <input checked="" type="checkbox"/> | Round holes | 5 - 16 mm | Pages 29 - 52 |
| <input type="checkbox"/> | Square holes | 7 - 10 mm | Pages 53 - 68 |


Professional metal handling - Since 1968



REIKÄLEVY

System Vendor for Technology Industry - Since 1968

Perforating | Cutting | Laser | Bending | Sand blasting | Welding | Threading | Surface treatments | Warehousing | JOT deliveries



Perforated metals from manufacturer

Advantages to your company

- Fast and efficient production
- Perforating metal from coils saves material
- Further metal processing services with 50 years of experience.



References

AVANT

VALTRA

SANDVIK

metso



SAMPO ROSENLEW

 www.reikalevy.fi

 myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 501205 | 5,0 mm | 20,8 mm | 15,8 mm | 5,3 % | 2 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 501214 | 5,0 mm | 12,0 mm | 7,0 mm | 13,6 % | 3 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 501216 | 5,0 mm | 12,0 mm | 7,0 mm | 15,7 % | 1 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process


- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.


We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi





| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 501247 | 5,0 mm | 6,9 mm | 1,9 mm | 47,2 % | 2 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 601704 | 6,0 mm | 30,0 mm | 24,0 mm | 3,6 % | 2 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 601709 | 6,0 mm | 17,3 mm | 11,3 mm | 9,4 % | 3 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 601711 | 6,0 mm | 17,3 mm | 11,3 mm | 10,9 % | 1 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 601733 | 6,0 mm | 10,0 mm | 4,0 mm | 32,7 % | 2 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company



- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 801706 | 8,0 mm | 30,0 mm | 22,0 mm | 6,5 % | 2 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company



- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 801717 | 8,0 mm | 17,3 mm | 9,3 mm | 16,8 % | 3 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.



Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi

| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 801719 | 8,0 mm | 17,3 mm | 9,3 mm | 19,4 % | 1 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 801758 | 8,0 mm | 10,0 mm | 2,0 mm | 58,2 % | 2 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company



- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 102206 | 10,0 mm | 38,1 mm | 28,1 mm | 6,3 % | 2 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company



- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 102216 | 10,0 mm | 22,0 mm | 12,0 mm | 16,2 % | 3 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 102219 | 10,0 mm | 22,0 mm | 12,0 mm | 18,7 % | 1 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 102256 | 10,0 mm | 12,7 mm | 2,7 mm | 56,2 % | 2 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process


- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.


We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi





| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 122806 | 12,0 mm | 48,0 mm | 36,0 mm | 5,7 % | 2 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 122815 | 12,0 mm | 27,7 mm | 15,7 mm | 14,7 % | 3 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company



- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 122817 | 12,0 mm | 27,7 mm | 15,7 mm | 17,0 % | 1 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company



- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 122851 | 12,0 mm | 16,0 mm | 4,0 mm | 51,0 % | 2 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company



- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 163504 | 16,0 mm | 69,2 mm | 53,2 mm | 4,2 % | 3 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company



- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 163517 | 16,0 mm | 34,6 mm | 18,6 mm | 16,8 % | 3 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.



Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi

| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 163519 | 16,0 mm | 34,6 mm | 18,6 mm | 19,4 % | 1 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.


Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi

| Art.no | Hole (H) | Distance (C) | Distance (P) | Open area | Hole pattern |
|--------|----------|--------------|--------------|-----------|--------------|
| 163558 | 16,0 mm | 20,0 mm | 4,0 mm | 58,2 % | 2 |



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi


REIKÄLEVY

Notes



[illegible]



REIKÄLEVY

System Vendor for Technology Industry - Since 1968

Perforating | Cutting | Laser | Bending | Sand blasting | Welding | Threading | Surface treatments | Warehousing | JOT deliveries



Perforated metals from manufacturer

Advantages to your company

- Fast and efficient production
- Perforating metal from coils saves material
- Further metal processing services with 50 years of experience.

References

AVANT

VALTRA

SANDVIK

metso

SAMPO ROSENLEW

 www.reikalevy.fi

 myynti@reikalevy.fi