





REIKÄLEVY




SYSTEM VENDOR FOR TECHNOLOGY INDUSTRY



Sample brochure for

PERFORATED METAL SHEETS & COILS



	Round holes	2 - 4 mm	Pages 1 - 28
	Round holes	5 - 16 mm	Pages 29 - 52
	Square holes	7 - 10 mm	Pages 53 - 68


Professional metal handling - Since 1968



REIKÄLEVY

System Vendor for Technology Industry - Since 1968

Perforating | Cutting | Laser | Bending | Sand blasting | Welding | Threading | Surface treatments | Warehousing | JOT deliveries



Perforated metals from manufacturer

Advantages to your company

- Fast and efficient production
- Perforating metal from coils saves material
- Further metal processing services with 50 years of experience.



References

AVANT

VALTRA

SANDVIK

metso


SAMPO ROSENLEW

 www.reikalevy.fi

 myynti@reikalevy.fi



Art.no	Hole (H)	Distance (C)	Distance (P)	Open area	Hole pattern
9071085	7 x 7 mm	24 x 24 mm	17,0 mm	8,5 %	4



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



Perforating | Cutting | Laser | Bending | Sand blasting | Welding | Threading | Surface treatments | Warehousing | JOT deliveries

Reikälevy Oy
Yrittäjätie 22 - 62375 Ylihärmä - Finland
Tel. +358 (0)10 425 8000 - Web. www.reikalevy.fi



Art.no	Hole (H)	Distance C1/C2	Distance P1/P2	Open area	Hole pattern
9071170	7 x 7 mm	24 x 12 mm	17 / 5 mm	17,0 %	6

Scale 1:1



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.


We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi

Perforating | Cutting | Laser | Bending | Sand blasting | Welding | Threading | Surface treatments | Warehousing | JOT deliveries

Reikälevy Oy
Yrittäjätie 22 - 62375 Ylihärmä - Finland
Tel. +358 (0)10 425 8000 - Web. www.reikalevy.fi

Art.no	Hole (H)	Distance (C)	Distance (P)	Open area	Hole pattern
9071340	7 x 7 mm	12 x 12 mm	5,0 mm	34,0 %	4



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner


Send your offer request to
myynti@reikalevy.fi

Perforating | Cutting | Laser | Bending | Sand blasting | Welding | Threading | Surface treatments | Warehousing | JOT deliveries

Reikälevy Oy
Yrittäjätie 22 - 62375 Ylihärmä - Finland
Tel. +358 (0)10 425 8000 - Web. www.reikalevy.fi



Art.no	Hole (H)	Distance C1/C2	Distance P1	Open area	Hole pattern
9085111	8 x 8 mm	24 x 24 mm	16,0 mm	11,1 %	5



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.



Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi

Art.no	Hole (H)	Distance C1/C2	Distance P1/P2	Open area	Hole pattern
9081222	8 x 8 mm	24 x 12 mm	16 / 4 mm	22,2 %	6



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company



- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



Art.no	Hole (H)	Distance (C)	Distance (P)	Open area	Hole pattern
9081444	8 x 8 mm	12 x 12 mm	4,0 mm	44,4 %	4



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



Art.no	Hole (H)	Distance (C)	Distance (P)	Open area	Hole pattern
9093056	9,0 mm	38,0 mm	29,0 mm	5,6 %	4



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



Art.no	Hole (H)	Distance C1/C2	Distance P1/P2	Open area	Hole pattern
9092112	9 x 9 mm	19 x 38 mm	10 / 29 mm	11,2 %	6



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



Art.no	Hole (H)	Distance C1/C2	Distance P1/P2	Open area	Hole pattern
9093112	9 x 9 mm	38 x 19 mm	29 /10 mm	11,2 %	6



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company


- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



Art.no	Hole (H)	Distance (C)	Distance (P)	Open area	Hole pattern
9091141	9 x 9 mm	24 x 24 mm	15,0 mm	14,1 %	4



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



Art.no	Hole (H)	Distance C1/C2	Distance P1/P2	Open area	Hole pattern
9093168	9 x 9 mm	38 x 12,7 mm	29 / 3,7 mm	16,8 %	6



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner


Send your offer request to
myynti@reikalevy.fi

Perforating | Cutting | Laser | Bending | Sand blasting | Welding | Threading | Surface treatments | Warehousing | JOT deliveries

Reikälevy Oy
Yrittäjätie 22 - 62375 Ylihärmä - Finland
Tel. +358 (0)10 425 8000 - Web. www.reikalevy.fi



Art.no	Hole (H)	Distance (C)	Distance (P)	Open area	Hole pattern
9092224	9 x 9 mm	19 x 19 mm	10,0 mm	22,4 %	4



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.


Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi

Art.no	Hole (H)	Distance C1/C2	Distance P1/P2	Open area	Hole pattern
9091282	9 x 9 mm	24 x 12 mm	15 / 3 mm	28,2 %	6



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.


We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi



Art.no	Hole (H)	Distance C1/C2	Distance P1/P2	Open area	Hole pattern
9092336	9 x 9 mm	19 x 12,7 mm	10 / 3,7 mm	33,6 %	6

Scale 1:1



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process


- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi




Square holes



REIKÄLEVY

67

Art.no	Hole (H)	Distance (C)	Distance (P)	Open area	Hole pattern
9091563	9 x 9 mm	12 x 12 mm	3,0 mm	56,3 %	4



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner


Send your offer request to
myynti@reikalevy.fi

Perforating | Cutting | Laser | Bending | Sand blasting | Welding | Threading | Surface treatments | Warehousing | JOT deliveries

Reikälevy Oy
Yrittäjätie 22 - 62375 Ylihärmä - Finland
Tel. +358 (0)10 425 8000 - Web. www.reikalevy.fi



Art.no	Hole (H)	Distance (C)	Distance (P)	Open area	Hole pattern
9101174	10 x 10 mm	24 x 24 mm	14,0 mm	17,4 %	4



Materials and thickness

- Stainless Steel (RST) 0,6 - 1,0 mm
- Steel / galvanized steel 0,6 - 1,5 (2,0) mm
- Aluminium, brass, copper 0,6 - 1,5 (2,0) mm

Coils and sheets

- Metal coil width 250 to 1250mm and perforation can be done along the entire coil length.
- Sheet sizes: S - 1000 x 2000mm
M - 1250 x 2500mm
L - 250-1250 x max 5000mm (Coil to sheets)

Our services after perforating process

- Material cutting by your requirements, adding more openings with fiber laser- or punching machines.
- Parts bending, welding, threading and assembly work by your instructions
- We can also offer all necessary metal surface treatments and paintwork with your own RAL colors.
- Warehousing service with packaging and delivering goods Just-On-Time basis.

Advantages to your company

- + Our perforating machine line is fast and efficient which means very competitive price level.
- + Material savings is significant compared for the perforating of standard sheet sizes.
- + We can offer you a wide range of metal processing services with more than 50 years of experience.

We would be proud to be your valuable partner

Send your offer request to
myynti@reikalevy.fi


REIKÄLEVY

Notes


[illegible]



REIKÄLEVY

System Vendor for Technology Industry - Since 1968

Perforating | Cutting | Laser | Bending | Sand blasting | Welding | Threading | Surface treatments | Warehousing | JOT deliveries



Perforated metals from manufacturer

Advantages to your company

- Fast and efficient production
- Perforating metal from coils saves material
- Further metal processing services with 50 years of experience.



References

AVANT

VALTRA

SANDVIK

metso

SAMPO ROSENLEW

 www.reikalevy.fi

 myynti@reikalevy.fi